


Department of Defense
Armed Forces Health Surveillance Branch
Global MERS-CoV Surveillance Summary
(4 MAY 2016)



APPROVED FOR PUBLIC RELEASE

For questions or comments, please contact:

dha.ncr.health-surv.list.afhs-ib-alert-response@mail.mil



DEPARTMENT OF DEFENSE (AFHSB)

Global MERS-CoV Surveillance Summary #82

4 MAY 2016 (next Summary 18 MAY)



CASE REPORT: As of 4 MAY 2016, 1,815 (+6) cases of Middle East respiratory syndrome coronavirus (MERS-CoV) have been reported, including 687 (+4) deaths, in the Kingdom of Saudi Arabia (KSA) (+5), Jordan, Qatar (+1), United Arab Emirates (UAE), United Kingdom (UK), France, Germany, Tunisia, Italy, Oman, Kuwait, Yemen, Malaysia, Greece, Philippines, Egypt, Lebanon, Netherlands, Iran, Algeria, Austria, Turkey, Republic of Korea (ROK), China, Thailand, Bahrain, and the U.S. **The most recently identified case was reported by the MOH in Qatar on 2 MAY in an ill camel worker with no respiratory symptoms and with no recent travel.** On 9 APR, MERS-CoV was reported for the first time in Bahrain in a Saudi patient with comorbidities and recent travel to KSA. After diagnosis, this case was transferred back to KSA for further treatment. It was later reported that the man had contact with camels, most recently on 28 MAR in Eastern Province, KSA. On 11 APR, OIE released information on three camel outbreaks, affecting a total of 18 camels, in the cities of Bisha (Asir Province), Al-Kharj (Ar Riyadh Province), and Hafr al-Batin (Eastern Province) in KSA. OIE reports these camel outbreaks are known to be associated with confirmed human cases. According to OIE, the only previous report of MERS-CoV in Jeddah (Makkah Province) was in 11 camels in JAN 2016. On 17 APR, Saudi media reported that the KSA Ministry of Agriculture (MOA) has banned the transportation of camels from farms to markets to prevent slaughter and sale of the animals.

Since 22 FEB, there have been 36 cases and 20 deaths associated with the Buraidah cluster; **however, no new cases have been reported in Buraidah since 31 MAR suggesting this cluster has ended.** Of the 36 cases, six occurred in HCWs, three of which were reported to be asymptomatic. On 5 MAR, the KSA Ministry of Health (MOH) confirmed these cases are the result of a nosocomial cluster at King Fahad Specialist Hospital. Media report many of these cases are dialysis patients and suffering from renal failure. Dialysis units have previously been associated with clusters of MERS-CoV transmission in KSA, specifically in the cities of Taif, Mecca, Jeddah, and Riyadh.

DIAGNOSTICS/MEDICAL COUNTERMEASURES: Clinical diagnostic testing is available at BAACH, NAMRU-3, LRMC, MAMC, NHRC, USAFSAM, SAMMC, TAMC, WBAMC, WRNMMC, and NIDDL (NMRC). Surveillance testing capability is available at NHRC, AFRIMS, NAMRU-2, NAMRU-3, NAMRU-6, USAMRU-K, and Camp Arifjan. All 50 state health laboratories and the NYC Department of Health and Mental Hygiene (DOHMH) were offered clinical testing kits. On 23 FEB 2016, AFHSB updated [MERS-CoV testing guidelines](#) for DoD which are aimed at capturing mild cases that may present in healthier populations such as DoD personnel.

INTERAGENCY/GLOBAL ACTIONS: WHO convened the [Tenth International Health Regulations \(IHR\) Emergency Committee](#) on 2 SEP 2015 and concluded the conditions for a Public Health Emergency of International Concern (PHEIC) have not yet been met. However, the Committee also emphasized that they still have concerns as transmission from camels to humans continues in some countries, instances of human-to-human transmission continue to occur in health care settings, and asymptomatic cases are not always being reported as required. CDC maintains their [Travel Alert Level 2](#) for MERS-CoV in the Arabian Peninsula. On 7 APR, Egypt announced it has completed phase 1 (cross-sectional studies in domestic animals with camel contact) and will begin phase 2 (longitudinal studies in high-risk camel populations) of a MERS-CoV surveillance project with USAID and FAO. **In their latest Weekly Monitor publication, the KSA MOH published information on the challenges of reporting MERS-CoV cases in KSA's Health Electronic Surveillance Network (HESN), including the issues with training of staff and timeliness of reporting.**

BACKGROUND: In SEP 2012, [WHO reported two cases of a novel coronavirus](#) (now known as MERS-CoV) from separate individuals – one with travel history to the KSA and Qatar and one in a KSA citizen. This was the sixth strain of human coronavirus identified (including SARS). Limited human-to-human transmission has been identified in at least 37 spatial clusters predominately involving close contacts. Limited camel-to-human transmission of MERS-CoV has been proven to occur. The most recent known date of symptom onset is 16 APR 2016. The KSA MOH has previously admitted to inconsistent reporting of asymptomatic cases. Due to these inconsistencies, it is also difficult to determine a cumulative breakdown by gender; however, AFHSB is aware of at least 512 cases in females to date. CDC reports 299 of the total cases have been identified as healthcare workers (HCWs). Of these, 191 were from KSA, 30 from UAE, 7 from Jordan, 2 from Iran, 1 from Tunisia, and 29 from ROK. A study published in Clinical Infectious Diseases found extensive evidence for MERS-CoV contamination of environmental surfaces and in the air of patients' rooms and a common corridor, despite adherence to standard disinfection protocols. On 4 MAR, CDC published a [study](#) that tested archived serum (from 2013-2014) from livestock handlers in Kenya for MERS-CoV antibodies to search for autochthonous MERS-CoV infections in humans outside of the Arabian Peninsula. The study found two (out of 1,122 samples) tested positive, providing evidence of previously unrecorded human MERS-CoV infections in Kenya. **According to CDC's latest MERS-CoV study, the longevity of the MERS-CoV antibody response correlates to disease severity. More specifically, CDC suggests that cases with mild or subclinical infections may not be captured in population based studies, resulting in a falsely low prevalence rate; these cases may be at risk for recurrent infections.**

Text updated from the previous report will be printed in red; items in (+xx) represent the change in number from the previous Summary (20 APR 2016).

All information has been verified unless noted otherwise. For questions or comments, please contact: dha.ncr.health-surv.list.afhs-ib-alert-response@mail.mil

APPROVED FOR PUBLIC RELEASE




DEPARTMENT OF DEFENSE (AFHSB)

Global MERS-CoV Surveillance Summary #82

4 MAY 2016



Global Distribution of Reported MERS-CoV Cases* (SEP 2012–MAY 2016)






*Data includes confirmed, suspect and probable cases reported by WHO, CDC, and various country MOHs

[RETURN TO TOP](#)

For questions or comments, please contact: dha.ncr.health-surv.list.afhs-ib-alert-response@mail.mil

APPROVED FOR PUBLIC RELEASE



Geographic Distribution of MERS-CoV Cases
1 APR 2012 - 04 MAY 2016



*186 cases have been reported in the Kingdom of Saudi Arabia without specific location information

APPROVED FOR PUBLIC RELEASE

RETURN TO TOP

For questions or comments, please contact: dha.ncr.health-surv.list.afhs-ib-alert-response@mail.mil

APPROVED FOR PUBLIC RELEASE




DEPARTMENT OF DEFENSE (AFHSB)

Global MERS-CoV Surveillance Summary #82

4 MAY 2016



Global MERS-CoV Epidemiological Curve - 4 MAY 2016



RETURN TO TOP

For questions or comments, please contact: dha.ncr.health-surv.list.afhs-ib-alert-response@mail.mil

APPROVED FOR PUBLIC RELEASE



DEPARTMENT OF DEFENSE (AFHSB)

Global MERS-CoV Surveillance Summary #82

4 MAY 2016



GLOBAL MERS-CoV NUMBERS AT A GLANCE

	Total in 2012	Total in 2013	Total in 2014	Total in 2015	Total in 2016	Cumulative Total (2012-2016)
Cases	9	171	776	750 cases	109 (+6) cases	1,815 (+6) cases
Deaths*	6 deaths	72 deaths	277 deaths	288 deaths	44 (+4) deaths	at least 687 (+4) deaths
Case-Fatality Proportion	66%	42%	36%	39%	41%	38%
Mean Age	45 years	51 years	49 years	55 years	55 years	52 years
Gender Breakdown*	1 female	at least 58 females	at least 175 females	259 females	19 females	at least 512 females
# of Healthcare Workers (HCWs) reported*	at least 2 HCWs	at least 31 HCWs	at least 86 HCWs	109 HCWs	12 HCWs	at least 299 HCWs

***Disclaimer:** Data reported on MERS-CoV cases are limited and adapted from multiple sources including various Ministries of Health, CDC, and WHO. Consequently, yearly information may not equate to the cumulative totals provided by WHO and CDC.

Legend: Text updated from the previous report will be printed in red; items in (+xx) represent the change in number from the previous Summary (20 APR 2016).

For questions or comments, please contact: dha.ncr.health-surv.list.afhs-ib-alert-response@mail.mil

APPROVED FOR PUBLIC RELEASE