

**Beneficiary Advisory Panel Handout
Uniform Formulary Decisions
12 Jan 2012**

PURPOSE: The purpose of this handout is to provide BAP Committee members with a reference document for the relative clinical effectiveness presentations for each Uniform Formulary (UF) Class review

Table 1: Depression & Non-Opioid Pain Syndrome Agents

| Subclass | Formulary Status | Generic (Brand), Manufacturer | Generic available |
|---|-----------------------------|--|-------------------|
| GABA Analogs | Formulary | Gabapentin (Neurontin) | Y |
| | Non-Formulary Step Therapy | Pregabalin (Lyrica) ⁴ Pfizer | N |
| Selective Serotonin Reuptake Inhibitors (SSRIs) | Formulary | Citalopram (Celexa) | Y |
| | Formulary | Fluoxetine (Prozac) | Y |
| | Formulary | Fluvoxamine (Luvox) | Y |
| | Formulary | Paroxetine HCl (Paxil) | Y |
| | Formulary | Paroxetine HCl CR (Paxil CR) | Y |
| | Formulary | Paroxetine mesylate (Pexeva) Synthon | N |
| | Formulary | Sertraline (Zoloft) | Y |
| | Non-Formulary | Escitalopram* (Lexapro) Forest | N |
| | Non-Formulary | Fluoxetine weekly caps* (Prozac Weekly) | Y |
| | Non-Formulary | Fluoxetine* (Sarafem) | Y |
| Serotonin – Norepinephrine Reuptake Inhibitors (SNRIs) | Formulary | Venlafaxine (Effexor) | Y |
| | Formulary | Venlafaxine ER (Effexor XR) | Y |
| | Non-Formulary/ Step Therapy | Duloxetine (Cymbalta) ² Eli Lilly | N |
| | Non-Formulary/ Step Therapy | Desvenlafaxine (Pristiq) ¹ Pfizer | N |
| | Non-Formulary/ Step Therapy | Milnacipran (Savella) ³ Forrest | N |
| Serotonin-2 Antagonist/Reuptake Inhibitors (SARIs) | Formulary | Nefazodone (Serzone) generic only | Y |
| | Formulary | Trazodone (Desyrel) | Y |
| | Non-Formulary | Trazodone ER (Oleptro) Labopharm | N |
| Norepinephrine and Dopamine Reuptake Inhibitors (NDRIs) | Formulary | Bupropion (Wellbutrin) | Y |
| | Formulary | Bupropion SR (Wellbutrin SR) | Y |
| | Formulary | Bupropion XL (Wellbutrin XL) | Y |
| | Non-Formulary | Bupropion HBr** (Aplenzin) Sanofi Aventis | N |
| Alpha-2 Receptor Antagonists (A-2RAs) | Formulary | Mirtazapine tablets and ODT (Remeron; Remeron Sol Tab) | Y |
| Serotonin-1a Partial Agonist/Reuptake Inhibitors | Non-Formulary | Vilazodone (Viibryd) Forest | N |
| Tricyclic Antidepressants (TCAs) | Formulary | Amitriptyline (Elavil) | Y |
| | Formulary | Desipramine (Norpramin) | Y |
| | Formulary | Doxepin (Sinequan) | Y |
| | Formulary | Imipramine (Tofranil) | Y |
| | Formulary | Nortriptyline (Pamelor) | Y |
| | Formulary | Protriptyline (Vivactil) | Y |

Recommended : 60-day implementation period

1 Desvenlafaxine (Pristiq) is non-formulary and non-step preferred. All new users of Pristiq are required to try venlafaxine.

- 2 Duloxetine (Cymbalta) is non-formulary and non-step preferred. All new users of Cymbalta are required to try an SSRI, SNRI, TCA, mirtazapine, bupropion, trazodone, MAOI, cyclobenzaprine, milnacipran (Savella), gabapentin, or pregabalin (Lyrica).
- 3 Milnacipran (Savella) is non-formulary and non-step preferred. All new users of Savella are required to try an SNRI, TCA, cyclobenzaprine, gabapentin or pregabalin (Lyrica).
- 4 Pregabalin (Lyrica) is non-formulary and non-step preferred. All new users of Lyrica are required to try gabapentin.
- * Non-formulary; status of Lexapro, Sarafem, and Prozac Weekly, will change to formulary when cost-effective generics are available
- **HBr: hydrogen bromide

Figure1: Subclass Utilization in 30 day equivalents at All Points of Service




Figure 2: SNRI Subclass Utilization in 30 day equivalents at All Points of Service




Figure 3: SSRI Utilization in 30 day equivalents at All Points of Service




Figure 4: GABA Utilization in 30 day equivalents at All Points of Service




Table 2: Short Acting Beta Agonists (SABAs)

| Formulary Status Implementation Period | Generic Name (Brand) | Formulation | Generic |
|--|---|----------------------|-----------------------------|
| Formulary | Albuterol solution (Accuneb, generics) | inhalation solution | Yes |
| | Levalbuterol solution (Xopenex) | inhalation solution | Yes (1.25 mg strength only) |
| | Albuterol inhaler (Proair HFA, Proventil HFA, Ventolin HFA) | metered dose inhaler | No |
| | Levalbuterol inhaler (Xopenex) | metered dose inhaler | No |
| Non-Formulary | Pirbuterol CFC inhaler (Maxair)* | metered dose inhaler | No |
| Recommended implementation period | N/A – Maxair currently NF | | |

* Pirbuterol (Maxair) will be commercially available until December 2013

CFC: chlorofluorocarbon

HFA: hydrofluoroalkane

Figure 5: SABA Metered Dose Inhaler Utilization - Canisters at All Points of Service




Table 3: Phosphodiesterase Type-5 (PDE-5) Inhibitors for Erectile Dysfunction

| UF recommendation | Generic Drug Name (Brand) | Generic Available |
|--|--------------------------------------|-------------------|
| UF- Step Preferred | Sildenafil (Viagra) | No |
| Non-Formulary/Step Therapy | Vardenafil (Levitra) ¹ | No |
| | Vardenafil ODT (Staxyn) ¹ | No |
| | Tadalafil (Cialis) ¹ | No |
| Recommended implementation period | 60 days | |

1: Vardenafil (Levitra), vardenafil ODT (Staxyn) and tadalafil (Cialis) are non-formulary and non-step preferred. All new users of Levitra, Staxyn, or Cialis are required to try sildenafil (Viagra)

ODT: orally dissolving tablet

Figure 6: PDE5 Utilization (Tot Qty Dispensed) – All POS




Table 4: Newly Approved Drugs - Risedronate Delayed Release Tablets (Atelvia); Osteoporosis Drugs (reviewed in June 2008)

| UF Status / Implementation Period | Generic Name (Brand) | Generics Available? |
|--|---|---------------------|
| Bisphosphonates | | |
| Formulary | Alendronate (Fosamax) | Yes |
| | Alendronate / vitamin D (Fosamax plus D) | No |
| | Ibandronate (Boniva) | No |
| | Risedronate (Actonel) | No |
| | Risedronate / calcium (Actonel with calcium) | No |
| | Selective Estrogen Receptor Modulators (SERMs) | |
| Non-Formulary | Raloxifene (Evista) | No |
| | Parathyroid Hormone derivatives | |
| | Teriparatide (Forteo) injection | No |
| | Calcitonins | |
| | Recombinant calcitonin (Forteo) nasal spray | No |
| | Calcitonin-salmon (Miacalcin) nasal spray | No |
| Risedronate delayed release tablets (Atelvia) | | No |
| Recommended implementation period | 60 days for Risedronate delayed release (Atelvia) | |

Figure 7: Biphosphonate Sub-Class Utilization in 30 day equivalents in all Points of Service




Table 5—Table of Implementation Status of UF Recommendations/Decisions Summary Table

| Meeting | Drug Class | Non-Formulary Medications | Total Beneficiaries Affected (# of patients affected) | Beneficiaries Affected by POS | | | Implementation Plan First Wednesday X days after the decision date | Step Therapy | |
|----------|--|--|---|-------------------------------|--------|------------|---|---|--|
| | | | | MTF | Retail | Mail Order | | | |
| Nov 2011 | Depression & Non-Opioid Pain Syndromes | Trazodone ER (Oleptro) | 470 | 0 | 420 | 50 | 60 days | N/A | |
| | | Vilazodone (Viibryd) | 1806 | 13 | 210 | 1583 | | SSRIs, SNRIs (except milnacipran), TCAs, mirtazapine, bupropion, SARIs, MAOIs | |
| | | Duloxetine (Cymbalta) - remains NF - 18K beneficiaries will be affected by the step annually | | | | | | SNRIs, milnacipran, TCAs, cyclobenzaprine, gabapentin, pregabalin | |
| | | Milnacipran (Savella) - remains NF - 2K beneficiaries will be affected by the step annually | | | | | | Gabapentin | |
| | | Pregabalin (Lyrica) - remains NF - 33K beneficiaries will be affected by the step annually | | | | | | Venlafaxine | |
| | | Pristiq (remains NF) remains NF - 11K beneficiaries will be affected by the step annually | | | | | | | |
| Nov 2011 | PDE-5s | Vardenafil (Levitra), Vardenafil ODT (Satxyn), Tadalafil (Cialis) | 120K | 71K | 11K | 38K | 60 days | Viagra | |
| Nov 2011 | Short-Acting Beta Agonists | Pirbuterol (Maxair) metered dose inhaler | N/A (Maxair currently NF) | | | | | N/A | |
| Nov 2011 | Osteoporosis Drugs (June 2008) | Risedronate delayed release (Atelvia) (Nov 2011) | 3047 | 6 | 2163 | 878 | 60 days | N/A | |