

# Pfizer-BioNTech COVID-19 Vaccine

## Temperature Log for Ultra-Cold Vaccine Storage (Celsius) Days 1-15



Store COVID-19 vaccine (Pfizer) between **-90°C and -60°C**. Using a digital data logger (DDL), check and record the temperature daily using one of the options below. Save this record for 3 years, unless your state/local jurisdiction requires a longer time period. See **CDC's Vaccine Storage and Handling Toolkit, COVID-19 Addendum**, for additional information.

### Option 1: Minimum/Maximum (Min/Max) Temperatures (preferred)

- Most DDLs display minimum and maximum temperatures. Check and record the min/max temperatures at the start of each workday.
- Document these temperatures in the min/max temperature row under the appropriate date.

### Option 2: Current Temperature

- If the DDL does not display min/max temperatures, check and record the current temperature at the start and end of the workday.
- Document these temperatures by writing an "X" in the row that corresponds to the freezer temperature under the appropriate day of the month.
- Review the continuous DDL temperature data daily.



If the temperature is out of range, **TAKE ACTION!**

- Do **NOT** discard the vaccine.
- Label the vaccine **"Do Not Use."**
- Complete the Vaccine Troubleshooting Record.
- Contact the manufacturer to determine under what conditions (frozen or refrigerated) to store the vaccine as quickly as possible.

Month \_\_\_\_\_ PIN Number \_\_\_\_\_

Facility Name \_\_\_\_\_

OPTION 1	Day of the month	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
	Time															
	Staff initials															
	Min/Max temperatures															

**Temperatures above -60°C and below -90°C are out of range. Complete a Vaccine Troubleshooting Record. Contact the manufacturer and your immunization program.**

OPTION 2	Time	AM	PM																											
	Staff initials																													
	-60°C																													
	-61°C																													
	-62°C																													
	-63°C																													
	-64°C																													
	-65°C																													
	-66°C																													
	-67°C																													
	-68°C																													
	-69°C to -90°C																													

# Pfizer-BioNTech COVID-19 Vaccine

Temperature Log for Ultra-Cold Vaccine Storage (Celsius) Days 16–31



Store COVID-19 vaccine (Pfizer) between **-90°C and -60°C**. Using a digital data logger (DDL), check and record the temperature daily using one of the options below. Save this record for 3 years, unless your state/local jurisdiction requires a longer time period. See **CDC's Vaccine Storage and Handling Toolkit, COVID-19 Addendum**, for additional information.

### Option 1: Minimum/Maximum (Min/Max) Temperatures (preferred)

- Most DDLs display minimum and maximum temperatures. Check and record the min/max temperatures at the start of each workday.
- Document these temperatures in the min/max temperature row under the appropriate date.

### Option 2: Current Temperature

- If the DDL does not display min/max temperatures, check and record the current temperature at the start and end of the workday.
- Document these temperatures by writing an "X" in the row that corresponds to the freezer temperature under the appropriate day of the month.
- Review the continuous DDL temperature data daily.



If the temperature is out of range, **TAKE ACTION!**

- Do **NOT** discard the vaccine.
- Label the vaccine **"Do Not Use."**
- Complete the Vaccine Troubleshooting Record.
- Contact the manufacturer to determine under what conditions (frozen or refrigerated) to store the vaccine as quickly as possible.

Month \_\_\_\_\_ PIN Number \_\_\_\_\_  
 Facility Name \_\_\_\_\_

OPTION 1	Day of the month	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
	Time																
	Staff initials																
	Min/Max temperatures																

**Temperatures above -60°C and below -90°C are out of range. Complete a Vaccine Troubleshooting Record. Contact the manufacturer and your immunization program.**

OPTION 2	Time	AM	PM																											
	Staff initials																													
	-60°C																													
	-61°C																													
	-62°C																													
	-63°C																													
	-64°C																													
	-65°C																													
	-66°C																													
	-67°C																													
	-68°C																													
	-69°C to -90°C																													