

# Deployment Health Assessments

**U.S. Armed Forces**

**December 2011**

(Data through November 2011)

Armed Forces Health Surveillance Center

# Update: Deployment Health Assessments, U.S. Armed Forces, November 2011

Since January 2003, peaks and troughs in the numbers of pre- and post-deployment health assessment forms transmitted to the Armed Forces Health Surveillance Center generally corresponded to times of departure and return of large numbers of deployers. Between April 2006 and November 2011, the number of post-deployment reassessment (PDHRA) forms per month ranged from 15,309 to 36,845 (Table 1, Figure 1).

During the past 12 months, the proportions of returned deployers who rated their health as “fair” or “poor” were 8-11% on post-deployment health assessment questionnaires and 10-13% on PDHRA questionnaires (Figure 2).

In general, on post-deployment assessments and reassessments, deployers in the Army and in reserve components were more likely than their respective counterparts to report health and exposure-related concerns (Table 2, Figure 3). With the exception of Navy reserve component members, both active and reserve component members were more likely to report exposure concerns three to six months after, compared to the time of return from deployment (Figure 3).


At the time of return from deployment, soldiers serving in the active component were the most likely of all deployers to receive mental health referrals; however, three to six months after returning, Army reservists were more likely than active component soldiers to receive mental health referrals (Table 2).

Finally, during the past three years, reserve component members have been more likely than active component service members to report “exposure concerns” on postdeployment assessments and reassessments (Figure 3).

**Table 1.** Deployment-related health assessment forms, by month, U.S. Armed Forces, December 2010-November 2011

	Pre-deployment assessment DD2795		Post-deployment assessment DD2796		Post-deployment reassessment DD2900	
	No.	%	No.	%	No.	%
<b>Total</b>	<b>397,849</b>	<b>100</b>	<b>371,960</b>	<b>100</b>	<b>298,918</b>	<b>100</b>
<b>2010</b>						
December	31,947	8.0	30,788	8.3	24,911	8.3
<b>2011</b>						
January	42,513	10.7	24,932	6.7	28,601	9.6
February	33,829	8.5	25,598	6.9	26,373	8.8
March	37,875	9.5	33,126	8.9	29,027	9.7
April	39,277	9.9	34,998	9.4	24,782	8.3
May	34,185	8.6	30,523	8.2	21,375	7.2
June	33,262	8.4	27,760	7.5	21,790	7.3
July	27,731	7.0	29,143	7.8	23,551	7.9
August	33,127	8.3	30,594	8.2	25,923	8.7
September	31,562	7.9	33,667	9.1	23,846	8.0
October	29,802	7.5	35,042	9.4	26,644	8.9
November	22,739	5.7	35,789	9.6	22,095	7.4

**Figure 2.** Proportion of deployment health assessment forms with self-assessed health status as “fair” or “poor”, U.S. Armed Forces, December 2010-November 2011



**Figure 1.** Total deployment health assessment and reassessment forms, by month, U.S. Armed Forces, January 2003-November 2011

